


iQ700, Built-in compact oven with microwave function, 60 x 45 cm, Stainless steel CM676GBS6B



Included accessories

- 1 x combination grid
- 1 x universal pan

Optional accessories

- HZ915003
- HZ66X650
- HZ66X600
- HZ636000
- HZ634080
- HZ631070
- HZ625071
- HZ531010
- HZ327000

Shorten your cooking time thanks to varioSpeed, fast preheat and activeClean. And remote your oven from anywhere with Home Connect.

- ✓ varioSpeed: reduce cooking times by up to 50%.
- ✓ fast preheat: reach the required baking temperature sooner; coolStart: no need to preheat the oven for deep frozen food.
- ✓ activeClean: the automatic system for effortless cleaning.
- ✓ cookControl Plus: guaranteed success for numerous dishes.
- ✓ 4D hotAir: flexible choice of shelf.

Features

Technical Data

Type of micro-wave oven : MW-Combi
Type of control : Electronic
Color / Material Front : Stainless steel
Dimensions : 455 x 594 x 548
Cavity dimensions (mm) : 237.0 x 480 x 392.0
Length of electrical supply cord (cm) : 150
Net weight (kg) : 35.933
Gross weight (kg) : 38.2
EAN code : 4242003765920
Maximum micro-wave power (W) : 900
Connection rating (W) : 3600
Current (A) : 16
Voltage (V) : 220-240
Frequency (Hz) : 60; 50
Plug type : no plug



**iQ700, Built-in compact oven with
microwave function, 60 x 45 cm,
Stainless steel
CM676GBS6B**

Features	
<p>Design</p> <ul style="list-style-type: none"> • 3.7" TFT touchDisplay • Drop down oven door, softClose, softOpen • • Cavity inner surface: enamel anthracite • 3 shelf positions • Stainless steel control dial • Bar handle • We recommend you to choose complementary products within IQ700, in order to assure an optimal design combination of your Built-In appliances. <p>Features</p> <ul style="list-style-type: none"> • Digital temperature display with proposal • Actual temperature display • Heating-up indicator • • Intelligent microwave inverter technology: For optimised results maximum output power will be regulated to 600 W when used in longer operation for gentler cooking. • Electronic door lock • Control panel lock • Automatic safety switch off • Residual heat indicator • Start button • Door contact switch • • WLAN - Home connect enabled • cookControl Plus • Electronic oven clock timer • LED light, Light on/off when door opened/closed • Integral cooling fan <p>Cleaning</p> <ul style="list-style-type: none"> • activeClean <p>Programmes/functions</p> <ul style="list-style-type: none"> • Compact oven with microwave with 13 main functions heating methods: 4D hot air, hotairGentle, conventional top & bottom heating, Conventional heat Gentle, hot air grilling, full width grill, half width grill, Pizza setting, coolStart, bottom heat, low temperature cooking, keep warm, plate warming • Additional heating methods with microwave: Microwave, Combi microwave variable • Max. Power: 900 W; 5 Microwave power settings (90 W,180 W,360 W,600 W,900 W) • Fast preheat <p>Accessories</p> <ul style="list-style-type: none"> • 1 x combination grid, 1 x universal pan <p>Performance/technical information</p> <ul style="list-style-type: none"> • Cavity volume: 45 litres • Power cord length 150 cm Cable length • Temperature range 30 °C - 275 °C • Total connected load electric: 3.6 KW • Nominal voltage: 220 - 240 V • Appliance dimension (hwxwd): 455 mm x 594 mm x 548 mm 	<ul style="list-style-type: none"> • Niche dimension (hwxwd): 450 mm - 455 mm x 560 mm - 568 mm x 550 mm • Please refer to the dimensions provided in the installation manual

iQ700, Built-in compact oven with microwave function, 60 x 45 cm, Stainless steel CM676GBS6B

Dimensioned drawings

Installation with a hob.

For recessed depth, see
hob dimensional drawing

Min. distance:
Induction hob: 5 mm
Gas hob: 5 mm
Electric hob: 2 mm

442

min. 460

7.5

548

measurements in mm

19.5

13

455

max. 347.5

7.5

548

measurements in mm

If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm

Space for
appliance connection
320 x 115

min. 550

35

450+5

35

60

19.5

405

455

max. 45

594

442

407

560+8

Space for
appliance connection
320 x 115

measurements in mm

Ventilation space
in the base min. 50 cm²