

iQ300, Free-standing fridge, 186 x 60 cm, Inox-easyclean KS36VVIEPG



Refrigerator with hyperFresh to keep fruit and vegetables fresh longer and softStart LED illuminates the interior of the fridge brilliantly.

- ✓ Fruit and vegetables stay fresh for longer in the hyperFresh drawer thanks to the humidity slider
- ✓ The LED lights up the interior brightly and evenly.
- ✓ bottleRack: Store bottles safely
- ✓ The easyAccess glass shelves make loading easier and give you a better view of your food items.
- ✓ The superCooling button reduces the temperature for a set time, to quickly cool down fresh food items.

Features

Technical Data

Energy Efficiency Class (Regulation (EU) 2017/1369): E
 Average annual energy consumption in kilowatt hour per year (kWh/a) (EU) 2017/1369: 116
 Sum of volume of frozen compartments (EU 2017/1369): 0
 Sum of volume of chill compartments (EU 2017/1369): 346
 Airborne acoustical noise emissions (EU 2017/1369): 39
 Airborne acoustical noise emission class (EU 2017/1369): C
 Construction type: Free-standing
 Door panel options: Not possible
 Height (mm): 1860
 Width of the appliance: 600
 Depth of the product: 650
 Net weight (kg): 69.785
 Current (A): 10
 Door hinge: Left reversible
 Voltage (V): 220-240
 Frequency (Hz): 50
 Approval certificates: CE, VDE
 Length of electrical supply cord (cm): 230
 Number of compressors: 1
 Number of independent cooling systems: 1
 Interior ventilator: Yes
 Reversible Door Hinge: Yes
 Number of Adjustable Shelves in fridge compartment (Stck): 5
 Shelves for Bottles: Yes
 EAN code: 4242003874042
 Brand: Siemens
 Product name / Commercial code: KS36VVIEPG
 Product category: Refrigerator
 Frost free system: No
 Installation type: N/A

Included accessories

3 x egg tray



iQ300, Free-standing fridge, 186 x 60 cm, Inox-easyclean KS36VVIEPG

Features

Functions

- Stainless steel anti-fingerprint doors and Pearl grey (VZF 07127) side panels
- stainless steel vertical door handle
- Bright interior LED fridge light
-

Design features

- Electronic control (LED chain)
- vitaControl - constant temperature by intelligent sensor technology
- Constant temperature control by intelligent sensor technology
- Super Cooling: automatic deactivation

Design features

- Interior ventilator
- Automatic defrost in fridge section
- 7 removable safety glass shelves of which 5 are easy pull out
- Bottle rack
- 5 door trays, including 1x dairy compartment

Freshness System

- 1 hyperFresh box with integrated humidity control
-

Dimension and installation

- Dimensions: 186 cm H x 60 cm W x 65 cm D

Key features - Fridge section

- Left hinged, door reversible
- Height adjustable front feet
- Door opening: No side clearance needed at all. Full access to all drawers, door opening angle 90°.
- Transportation handles
- 220 - 240 V

Key features - Freezer section

- KS36VVIEPG

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Included accessories

Design features

Dimension and installation

Additional features

Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 346 l
- Net Fridge Volume : 346 l
- Net Freezer Volume : 0 l
- Annual Energy Consumption: 116 kWh/a
- Climate Class: SN-T
- Noise Level : 39 dB

**iQ300, Free-standing fridge, 186 x 60 cm, Inox-easyclean
KS36VVIEPG**

Dimensioned drawings

	a	b	c	d	e	f
KSJ36, GSD36	187					
KSV36, KSF36, GSN36, GSV36	186					
KSV33, GSN33, GSV33	176	60	65	58	60	119.5
KSV29, GSN29, GSV29	161					
GSV24	146					
GSN51	161					
GSN54	176	70	78	70	70	142
GSN58	191					

a) Height
 b) Width
 c) Depth with closed door w/o handle and w/o distance part
 d) Depth of cabinet w/o distance part
 e) Width with open door w/o handle
 f) Depth with open door w/o handle w/o distance part

measurements in cm

